

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Ratent and Trademark Office Address: COMMISSIONER FOR PATENTS ACKANDAD AVIGURIA 22313-1450 WWw.usufo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/560,959	12/14/2005	Andreas Weigl	10191/4386	1698
26646	7590 07/27/2006		EXAMINER	
KENYON & KENYON LLP			DALEY, CHRISTOPHER ANTHONY	
ONE BROADWAY NEW YORK, NY 10004			ART UNIT	PAPER NUMBER
			2111	
			DATE MAILED: 07/27/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/560,959	WEIGL ET AL.				
Office Action Summary	Examiner	Art Unit				
	Christopher A. Daley	2111				
The MAILING DATE of this communication apperiod for Reply	ppears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by status Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO 1.136(a). In no event, however, may a reply be tid d will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDON	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 14	<u>December 2005</u> .					
· <u> </u>	·					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
closed in accordance with the practice under	Ex parte Quayle, 1955 C.D. 11, 4	33 O.G. 213.				
Disposition of Claims						
4) Claim(s) 17-32 is/are pending in the application 4a) Of the above claim(s) is/are withdrest is/are allowed. 5) Claim(s) is/are allowed. 6) Claim(s) 17-32 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and are subject.	awn from consideration.					
Application Papers						
 9) The specification is objected to by the Examination 10) The drawing(s) filed on 14 December 2005 is Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Examination 	/are: a)⊠ accepted or b)⊡ objected or b)⊡ objected drawing(s) be held in abeyance. Section is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document copies of the priority document copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the pri	nts have been received. nts have been received in Applica iority documents have been receiv au (PCT Rule 17.2(a)).	tion No ved in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0-Paper No(s)/Mail Date		Patent Application (PTO-152)				

Art Unit: 2111

DETAILED ACTION

1. Claims 17 – 32 are pending. Claims 1 – 16 are cancelled.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 17 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fuehrer et al (US20040228366) hereinafter Fuehrer in view of Rahul Shah & Xuanming Dong, (An Introduction to TTCAN) hereinafter Shah.
- 4. As to claim 17, Fuehrer discloses a method for exchanging messages containing data between at least two stations over a bus system, comprising: (Figure 1 illustrates a system with two stations, namely 101 and 102, connected via a bus 100, page 1, paragraph 0025);

Fuehrer does not explicitly disclose repeatedly transmitting over the bus system, by a first station, a reference message containing time information of the first station at least one specifiable time interval, the time interval being subdivided as a basic cycle into time windows, a pause period of variable duration being provided at an end of at least one basic cycle.

However, Shah teaches repeatedly transmitting over the bus system, by a first station, a reference message containing time information of the first station at least one

Application/Control Number: 10/560,959

Art Unit: 2111

specifiable time interval, the time interval being subdivided as a basic cycle into time windows, a pause period of variable duration being provided at an end of at least one basic cycle (Page 31 illustrates the transmission of a plurality of messages of varying length with a pause period represented by arbitration or a free window that varies for each basic cycle);

transmitting messages containing data in at least some of the time windows (Page 31 illustrates data such as message A, Msg. C, message D during the basic cycle); and adapting the duration of the pause period to change a time of a start of a next basic cycle (Page 31 illustrates different size arbitration and free windows within the basic cycle.). It would have been obvious for one of ordinary skill in the art at the time of the invention to use the TTCAN protocol of Shah in the system of Fuehrer as a TTCAN protocol was called for, page 1, paragraph 0008. One of ordinary skill in the art would have been motivated to use the protocol of Shah in Fuehrer as a TTCAN protocol was called for, page 1, paragraph 0008.

5. As to claim 18, Shah discloses the method as recited in claim 17, wherein the time of the start of the basic cycle is corrected by shortening the duration of at least one pause period (Page 31 illustrates said difference in pause between row 1 and row 2. In row 1, there is an arbitration time slice, while in row 2, there is a message M.

Page 3

Art Unit: 2111

6. As to claim 19, Shah discloses the method, wherein at least two bus systems are synchronized with one another; a time of a start of a basic cycle of a first bus system is corrected by adaptation of the duration of the pause period of a second bus system.

- 7. As to claim 20, Shah discloses the method, wherein a pause period is provided at an end of every basic cycle (Page 31 illustrates a scheme where the end of the basic cycle is Msg. C, where a pause could be substituted, see page 30 on variation in message composition).
- 8. As to claim 21, Shah discloses the method, wherein a pause period is provided at an end of every 2nth basic cycle, where n corresponds to a natural number (Page 31 illustrates a scheme where the end of the basic cycle is Msg. C, where a pause could be substituted for every 2nth basic cycle, see page 30 on variation in message composition).
- 9. As to claim 22, Shah discloses the method, wherein a pause period is provided at an end of every 2n+l th basic cycle, where n corresponds to a natural number (Page 31 illustrates the similar ending, and page 30 allows for said variation).
- 10. As to claim 23, Shah discloses the method, wherein, when data is exchanged, a pause period of variable duration is provided at an end of each of at least two basic cycles, by which a change of a start of a beginning of at least one basic cycle 'is

Art Unit: 2111

corrected by adaptation of the duration of the at least two pause periods (Page 31 illustrates a plurality of basic cycles, and the teaching of page 30 allows for combining different time slots to support said limitation).

- 11. As to claim 24, Shah discloses the method, further comprising: determining a correction value based on a local time of a station and a cycle time, the correction value being used in adapting the duration of the pause period (Page 27 illustrates said compensation attribute).
- 12. As to claim 25, Shah discloses the method, wherein the correction value is determined from a first difference between two local times of the station in two successive basic cycles (Drift compensation of page 27 illustrates said limitation).
- 13. As to claim 26, Shah discloses The method, wherein the correction value is determined from a second difference between two cycle times of two successive basic cycles (Page 27 illustrates difference calculation).
- 14. As to claim 26, Shah discloses the method, wherein the correction value is determined from a comparison value formed by a sum of the time interval of the basic cycle and the second difference (Page 27 illustrates said summing).

Art Unit: 2111

15. As to claim 28, Shah discloses the method, wherein the correction value corresponds to the difference between the first difference and the comparison value (Page 27 illustrates said comparison).

- 16. As to claim 29, Shah discloses the method, wherein at least two pause periods are provided in at least two basic cycles for exchanging data, and the correction value is distributed over the at least two pause periods in a specifiable manner (Page 31 illustrates the plurality of basic cycles which allows for said configuration in pause from the attribute of page 30).
- 17. As to claim 30, Shah discloses the method, wherein the correction value is evenly distributed over the at least two pause periods (Page 30 allows for said distribution).
- 18. As to claims 31 and 32, Fuehrer discloses a device and a system for exchanging data in messages between at least two stations connected by a bus system, comprising:

a first arrangement at a first station configured to repeatedly transmit a reference message containing time information of the first station over the bus system at least one specifiable time interval (Figure 1 illustrates a system with two stations, namely 101 and 102, connected via a bus 100, page 1, paragraph 0025. This is a time controlled bus system that controls transaction between said stations, page 1, paragraph 0010);

Application/Control Number: 10/560,959

Art Unit: 2111

Fuehrer does not explicitly disclose a second arrangement configured to subdivide the time interval as a basic cycle into time windows of specifiable length, the messages being transmitted in the time windows; and a third arrangement configured to provide a pause period of variable duration at an end of at least one basic cycle when data is exchanged, a start of a beginning of the basic cycle being corrected by adaptation of the duration of the pause period.

However Shah teaches a second arrangement configured to subdivide the time

interval as a basic cycle into time windows of specifiable length, the messages being transmitted in the time windows (Page 31 illustrates the transmission of a plurality of messages of varying length with a pause period represented by arbitration or a free window that varies for each basic cycle); transmitting messages containing data in at least some of the time windows (Page 31 illustrates data such as message A , Msg. C, message D during the basic cycle); and a third arrangement configured to provide a pause period of variable duration at an end of at least one basic cycle when data is exchanged, a start of a beginning of the basic cycle being corrected by adaptation of the duration of the pause period (Page 31 illustrates different size arbitration and free windows within the basic cycle. Page 30 shares the capability of different message composition with a variety of pause elements). It would have been obvious for one of ordinary skill in the art at the time of the invention to use the TTCAN protocol of Shah in the system of Fuehrer as a TTCAN protocol was called for, page 1, paragraph 0008. One of ordinary skill in the art would

Art Unit: 2111

have been motivated to use the protocol of Shah in Fuehrer as a TTCAN protocol was called for, page 1, paragraph 0008.

Conclusion

19. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher A. Daley whose telephone number is 571 272 3625. The examiner can normally be reached on 9 am. - 4p m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Rinehart can be reached on 571 272 3632. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CAD 7/20/2006

MARK H. RINEHART

TECHNOLOGY CENTER 2100